



**NATIONAL INSTITUTE OF TECHNOLOGY
RAIPUR – 492 010, CHHATTISGARH**

**Advertised (Open) Tender Enquiry/ Limited Tender for
Lab Equipments Only**

Department: Chemical Department

Enquiry No: NITRR/Central Store/CH/OT/2015/54

Date: 09/04/2015

Important Dates

To

Event	Date	Time
Last Date of submission of quotation	04/05/2015	Up to 03:00
Technical bid Opening date	04/05/2015	At 03:30
Price (financial) bid Opening	To be Informed to technically successful bidder by mail and phone.	

Dear Sir,

We intend to purchase the commodities specified in this document and invite quotations in accordance with the terms and conditions detailed in the bid document. If you are interested, kindly send your offer with prices and complete terms within the time mentioned above.

Please send your quotation to:

REGISTRAR
NATIONAL INSTITUTE OF TECHNOLOGY RAIPUR
G. E. ROAD, RAIPUR – 492 010, CHHATTISGARH

Yours sincerely,

Registrar

National Institute of Technology,
Raipur

Enclosed:

- (1) Bid Document - Instruction to bidder - containing detail terms and conditions.
- (2) List of Equipment's/machines/commodity etc.- Annexure 1
- (3) Technical Specification – Annexure 2
- (4) Technical Compliance Format- Annexure 3
- (5) Price Bid Format in INR – Annexure 4
- (6) Price Bid Format in of imported items in currency other than INR -Annexure 5
- (7) Deviation statement form - Annexure 6
- (8) Bidder information & check list- Annexure 7

BID DOCUMENT

INSTRUCTION TO BIDDER

1. Please go through the enclosed “bid document” carefully for other bidding instructions.
2. **IMPORTANT NOTE:** Being a Two-Part Tender (techno-commercial and price bid), fax quotations will not be accepted. Please ensure your offers are received on or before tender due date and time. Bidder/ Tenderer are requested to download the tender documents from our website (www.nitr.ac.in) and please submit the Demand Draft of Rs. 1000/- towards Tender fee (in favor of Director NIT Raipur, Demand Draft should not be dated prior to the date of advertisement. Separate request letter and separate Demand Draft shall be sent for each tender document.) in a separate cover along with a covering letter duly marked on the cover "Tender fee in respect of Tender No". please note carefully that;
 - **Quotations received without tender fee will not be considered.**
 - No request for extension of the due tender date will be considered.
 - In the event any date indicated above is declared as holiday, the next working day at Institute shall be considered as the due date for receiving & opening of tenders.
 - The bids shall be opened on date and time as mentioned above. The bidders may send their authorized representatives to attend the bid opening, if they so desire.
 - Bids received after the deadline of receipt indicated above, shall not be taken in to consideration.
3. The bid should remain valid for a period of **180 days** from the date of opening. In case your offer has a different validity period that should be clearly mentioned in the quotation. Validity period may also be extended without change in bid prices ,if required on mutually agreed basis only.
4. The bids may be drop in the Tender Box kept in the office of Registrar, NIT Raipur in normal working day that is Monday to Friday except holidays (from 11 AM to 5 PM) of the Institute. Please do not hand over the quotation to any person by hand.
Speed post/Registered Post and Other Courier Services is not acceptable.
5. **Clarification of bidding documents:** If a prospective bidder requires any clarification in regard to the bidding documents, they may mail to asstreg.str@nitr.ac.in at least 15 days before the deadline for receipt of bids.

6. Amendment of Bidding Documents

- o Corrigendum, if issued any for the tender, shall form part of the Tender Document. Corrigendum will be posted on NIT RAIPUR website (www.nitr.ac.in). Bidders/Tenderers are requested to visit NIT RAIPUR website regularly and note the corrigendum / amendments to the tender without fail and submit the offer accordingly. NIT RAIPUR will not be responsible for ignorance of corrigendum.
 - o At any time prior to the deadline for submission of bids, the Institute may, for any reason, whether at its own initiative or in response to a clarification requested by a prospective Bidder/Tenderer, modify the bidding documents by amendment. The same would also be hosted on the website of the Institute and all prospective bidders/tenderer are expected to surf the website before submitting their bids to take cognizance of the amendments. Bidder/Tenderer who has submitted bids before publishing the amendment may revise their bid incorporating the amendments before the last date of tender.
 - o In order to allow prospective Bidder/Tenderer's reasonable time in which to take the amendment into account in preparing their bids, the Institute, at its discretion, may extend the deadline for the submission of bids and host the changes on the website of the Institute.
7. **Excise Duty/Custom duty:** The NIT Raipur have Excise Duty/Custom duty exemption certificate.
8. **VAT/CST:** The Institute is not authorized to give C or D form. CST or VAT should be charged according to applicable rates.
9. **Entry Tax:** The State of Chhattisgarh may charges entry tax on all goods entering the State. Please include it in your quotation as a separate item. Entry Tax will be reimbursed on production of proof of payment.

10. Bid Security (BS)/(Earnest Money/ EMD)

- I. The Bidder/Tenderer shall furnish, as part of its bid, a bid security (BS) of **3 % of gross bid value** has to be submitted as Bid Security (Earnest money Deposit/ EMD).
- II. In the case of foreign bidders/tenderers, the BS shall be submitted either by the principal or by the Indian agent and in the case of indigenous bidders/tenderers; the BS shall be submitted by the manufacturer or their specifically authorized dealer/Bidder/Tenderer.
- III. The bid security shall be in Indian Rupees. The bid security shall be in one of the following forms at the Bidder/Tenderers' option:
 - (a) A Banker's cheque or demand draft in favour of the Director, NIT Raipur.
 - (b) FDR in favour of the Director, NIT Raipur

- IV. The bid security should be submitted in its original form. Copies shall not be accepted.
- V. *Any bid without EMD or bid not secured in accordance with above will be rejected by the Institute as non- responsive.*
- VI. The bid security of unsuccessful Bidder/Tenderer will be discharged / returned as promptly as possible but not later than 30 days after the expiration of the period of bid validity or placement of order whichever is later.
- VII. The successful Bidder/Tenderer's bid security will be discharged upon the Bidder/Tenderer furnishing the performance security.
- VIII. The firms registered with DGS&D & NSIC, if any, are exempted from payment of BS provided such registration includes the item they are offering which are manufactured by them and not for selling products manufactured by other companies.**
- IX. The bid security may be forfeited:**
- (a) If a Bidder/Tenderer withdraws or amends or impairs or derogates its bid during the period of bid validity specified by the Bidder/Tenderer on the Bid Form; or

11. Sealing and Marking of Bids:

In a two bid system All Bidders/Tenderers are requested to follow carefully the following instructions before preparing their offer.

Part I: Technical & Commercial Bid

Part - (a) Technical

- i. This part should contain detailed specifications of the items quoted by you along with technical literature and leaflets.
- ii. A compliance statement showing the compliance of the item quoted by you with that of item tendered by us should be prepared and enclosed to this.
- iii. Any other information called for in the tender related technical and commercial specifications can also come in this part.
- iv. Prices should NOT be indicated in this cover.

Part - (b) Commercial terms: (WITHOUT PRICE)

- i. The commercial terms applicable for the items quoted by you should be indicated in this part.
- ii. If any compliance statement is called for the commercial terms/contractual terms and conditions, the same is to be attached in this part.
- iii. ***Prices should NOT be indicated in this part. However a copy of the price bid (without prices) must be enclosed in this part to enable to understand whether all the items required to be quoted by you have been quoted in the price bid.***
- iv. The Commercial terms such as delivery terms, delivery period, payment terms, Warranty, validity of the offer, installation & commissioning, duties and taxes etc., shall come into this.

- v. The required EMD should be enclosed.
- vi. The Tenderer/ bidder need to submit the following certificates along with the Tender Documents to confirm their eligibility in this part :
 - Proof of establishment of Firms/shop/business/ manufacturing unit etc. and Dealership certificate from the principals etc.
 - Proof of registration with any other central government organization (if any)
 - Photocopies of purchase orders received from any central govt. organization to the firm (if any).
 - The Sales Tax/Commercial Tax/Service tax certificate should be enclosed
 - The bidder should enclosed proof of turnover by way of Audited Balance Sheet/Auditor's certificate, if required.
 - The bidder should Photocopy of PAN card issued un the name of the bidder's firm.

Note:

- Technical Specifications and terms & conditions as above should be very clearly reflected item-wise with reference to the items called for in the tender.
- Please note that the PRICE SHOULD NOT BE indicated in this part.
- Technical and Commercial part as described above shall be prepared and put it in a sealed cover.

Part II: Price Bid

The prices applicable for the items, item-wise in response to the tender shall come into this part in the prescribed format only. ***Bid will be rejected if rates are not quoted in the prescribed format.***

- i. Tenderer shall indicate very clearly item-wise prices with reference to their technical offer.
- ii. Price Bid prepared as above shall be enveloped and marked as follows:

The Technical & Commercial envelope (Part I) and Price cover (Part II) prepared as above along with 'Tender fee' which should be inserted in another envelope and marked as tender fee:

All envelop should be addressed to Registrar NIT RAIPUR and top of all envelop should be super scribed with (Tender No/ Department and due date of opening.). Part I: TECHNICAL BID with EMD & COMMERCIAL BID, Part II: PRICE BID should also be mentioned on respective envelop.

- 12. The bidders should quote their offer / rates in clear terms without ambiguity.
- 13. The rates should be quoted both in figures and words and legibly written without any over-writings. In case of any correction, the same must be attested by the bidder with full signature. However, no over-writing is permissible. Manufacturer's price-list, where applicable, should be submitted along with the bid.

14. In case of any discrepancy between the rates in figures and that in words, the rate in words will be accepted as correct.
15. Each bidder shall submit only one bid. A bidder, who submits more than one bid, shall be disqualified and considered non-responsive.
16. The bidder has to sign in full at all pages of the bidding document.

17. Bid Prices

- (i) The Bidder /Tenderer shall indicate **unit prices in the prescribed format only**,
 - (ii) Prices indicated on the price-schedule form shall be entered separately in the following manner:
 - (a) **For Goods being offered from India/ abroad in INR**
 - i. The price of the goods quoted should be FOR NIT RAIPUR inclusive of all taxes(Excise duty, VAT/ST, etc), charges for inland transportation, insurance and other local services required for delivering the goods at the desired destination as specified in the price schedule form, installation, commissioning, training charges etc , if any. (**Annexure V**)
 - (b) **For Goods being offered from abroad in currency other than INR**
 - i. The price of the goods, quoted on FCA (named place delivery abroad) or FOB (named port of shipment), as specified in the price schedule form. The price should be FOR NIT RAIPUR inclusive of all taxes, charges for insurance and transportation of the goods, agency commission, installation, commissioning, training charges etc if any. (**Annexure VI**)
 - ii. The terms FOB, FCA, CIF, CIP etc. shall be governed by the rules prescribed in the current edition of the Incoterms published by the International Chambers of Commerce, Paris.
 - iii. Prices quoted by the Bidder/Tenderer shall be fixed during the Bidder/Tenderer's performance of the Contract and not subject to variation on any account.
18. Conditional discount, if any, offered by the bidder shall not be considered at the time of evaluation.

19. Responsiveness of Bids

- (i) Prior to the detailed evaluation, the Institute will determine the substantial responsiveness of each bid to the bidding documents. For purposes of this clause, a substantive responsive bid is one, which conforms to all terms and condition of the bidding documents without material deviations, reservations or omissions. A material deviation, reservation or omission is one that:

- (a) affects in any substantial way the scope, quality, or performance of the Goods and Related Services specified in the Contract; or
 - (b) limits in any substantial way, inconsistent with the Bidding Documents, the Institute's rights or the Bidder/Tenderer's obligations under the Contract; or
 - (c) if rectified, would unfairly affect the competitive position of other bidders/tenderers presenting substantially responsive bids.
- (ii) The Institutes' determination of a bid's responsiveness is to be based on the contents of the bid itself without recourse to extrinsic evidence.
- (i) If a bid is not substantially responsive, it will be rejected by the Institute and will not subsequently be made responsive by the Bidder/Tenderer by correction of the material deviation, reservation or omission.

20. Evaluation and comparison of bids

- (i) The Purchaser shall evaluate each bid that has been determined, up to this stage of the evaluation, to be substantially responsive.
- (ii) To evaluate a Bid, the Purchaser shall only use all the factors, methodologies and criteria defined below. No other criteria or methodology shall be permitted.
- (iii) The bids shall be evaluated on the following basis which shall be arrived as under:

For goods being offered from India.

Goods price will be calculated FOR NIT Raipur. Lowest bid (L1) will be deciding by the price of the goods quoted should be FOR NIT RAIPUR inclusive of all taxes (Excise duty, VAT/ST, etc), charges for inland transportation, installation, commissioning, training charges, insurance and other local services required if any for delivering the goods at the desired destination as specified in the price schedule Price Bid format

For goods being offered from Abroad

- (i) In case of goods being offered from abroad, Lowest bid (L1) will be decided based on total cost at NIT Raipur, that include basic price of goods, freight and Insurance up to Indian Airport/port (CIF/CIP value up to Indian airport/port), custom duty and other taxes as applicable etc., Inland transportation and insurance up to NIT Raipur, packaging, forwarding, agent commission for custom clearance and installation, commissioning and training charges if any.
- (ii) **Conversion to Single Currency:** To facilitate evaluation and comparison, Bids quoted in foreign currency will be converted into Indian Rupees at the selling exchange rate established by Reserve Bank of India on its website, on the date of price bid opening.

(iii) In case charges for packing, forwarding, transportation inside India, custom clearance charges or other incidental charges are quoted extra in addition to the quoted rates, the amount thereof must be specified. Packing, forwarding, freight, entry tax etc., when quotes separately are reimbursable at actuals after production of original receipts/invoices. If external agencies are employed, their receipts must be enclosed with the invoice.

(iv) *If vender wishes, he/they may alternatively, quote price of imported items in Indian rupees. In this case item may be treated as offered from India. Payment will be released accordingly.*

Note: *Where there is no mention of packing, forwarding, freight, transportation, insurance charges, taxes etc. such offers shall be REJECTED as incomplete.*

21. Clearance and delivery

On arrival of shipment/consignment, the supplier is required to arrange custom clearance and transportation of the consignment up to NIT RAIPUR premises. The Tenderer/ bidder will do all types of clearance work and **formalities to deliver/provide the equipment at the site of installation. The expenses incurred will be reimbursed on actual basis not exceeding the quoted amount.** Institute will provide all types of documentary support including Customs Duty exemption certificate. The custom duty, demurrage (in case of delay in release of custom duty to the custom department by NIT Raipur) and government taxes/levies (if any) will be paid extra by the buyer after as per term of payment. Please note that the State of Chhattisgarh may charge entry tax on all goods entering the State. This may be included in your quotation as a separate item. Entry Tax will be reimbursed on production of proof of payment. **Principals will themselves have to procure any requisite permission from the Govt. of country of origin of equipment.**

22. Agency Commission/other charges

Agency commission, if any, should be clearly mentioned by the Bidder/tenderer and will be paid in Indian Currency. Please note that actual reimbursement will not exceed the quoted amount in any circumstances.

23. The Institute reserves right to conduct pre-dispatch inspection of goods and the vender must facilitate it at NIT Raipur's cost for pre-dispatch inspection.

24. **Warranty Period:** The warranty period should be minimum **1 year** with spares or as mentioned in technical specifications (whichever is higher) from the date of installation with satisfactory performance as per specifications. For standard items which carry warranty of more than one year, standard warranty shall be applicable.

25. **Terms of Payment:** The method and conditions of payment to be made to the Supplier under this Contract shall be as follows:

(i) **Payment for Goods and Services offered from India:**

Payment for Goods and Services supplied from within India shall normally be made in Indian Rupees, as follows: 100% payment will be made in account payee cheque or Draft/ online Transfer using RTGS to the Supplier normally within thirty (30) days after the successful installation and commissioning of equipment's subject to submission of performance security, if any.

(ii) **Payment for Goods and services offered from abroad:**

Payment of foreign currency portion shall normally be made in the currency of contract in the following manner:

a) **On Shipment:** Ninety (90) percent of the Contract Price of the Goods shipped shall be paid through irrevocable letter of credit (L/C) opened in favor of the Supplier in a bank in its country, upon submission of following documents specified as below:

Within 24 hours of dispatch, the supplier shall notify the purchaser the complete details of dispatch and also supply following documents by Registered Post/ courier and copies thereof by FAX.

- i. Two copies of supplier's Invoice giving full details of the goods including quantity, value, etc.;
- ii. Packing list;
- iii. Certificate of country of origin;
- iv. Manufacturer's guarantee and Inspection certificate/test report;
- v. Inspection certificate issued by the Purchaser's Inspector, if any.
- vi. Insurance Certificate, if required under the contract;
- vii. Name of the Vessel/Carrier;
- viii. Bill of Lading/Airway Bill;
- ix. Port of Loading;
Date of Shipment;
- x. Port of Discharge & expected date of arrival of goods and
- xi. H S code of classification of goods.
- xii. Any other document(s) as and when required in terms of the contract.

Note:

1. The nomenclature used for the item description in the invoices(s), packing list(s) and the delivery note(s) etc. should be identical to that used in the contract. The dispatch particulars including the name of the transporter should also be mentioned in the Invoice(s)
2. The above documents should be received by the Purchaser before arrival of the Goods and, if not received, the Supplier will be responsible for any consequent expenses.

b) **On Acceptance:** Ten (10) percent of the Contract Price of Goods received shall be paid within thirty (30) days of receipt of the Goods and successful installation & commissioning upon submission of claim supported by the

acceptance certificate issued by the Purchaser along with the Performance security, if any.

- The L/C will be confirmed at the suppliers cost, if requested specifically by the supplier. If L/C is requested to be extended/ reinstated for reasons not attributable to the purchaser, the charges thereof would be to the suppliers' account. All bank charges in India to the account of the opener and all bank charges outside India to the account of the beneficiary. Payment of local currency portion shall be made in Indian Rupees within thirty (30) days of presentation of claim supported by a certificate from the Purchaser declaring that the Goods have been delivered and that all other contracted Services have been performed. The L/C for 100% value of the contract shall be established after deducting the agency commission payable, if any to the Indian agent from the CIF/CIP value.

26. **Performance Security (PS):** The successful bidder has to furnish "**Performance Security of 10% of the ordered value in Indian Rupee**", in the form of Account Payee Demand Draft, / Fixes deposit and/or unconditional Bank guarantee encashable on demand from the Director, NIT, Raipur, from a nationalized Bank with validity period of sixty (60) days beyond the date of completion of all contractual obligations of supplier including guarantee/ warranty obligations. The Performance Security is to be furnished in favor of the Director, National Institute of Technology, Raipur, within ten days of intimation, failing which his bid security will be forfeited.

The performance security will be discharged by the Purchaser and returned to the Supplier not later than 60 days following the date of completion of the Supplier's performance obligations, including any warranty obligations.

27. **Delivery period:** Delivery should be made within **150 days** from the date of order of placement of goods offered from India or opening of the LC in case of goods offered from abroad.
28. **The Insurance** shall be for an amount equal to 110% of the CIF or CIP value of the contract from within "warehouse to warehouse/installation site (NIT Raipur)" on "all risk basis" including strikes, riots and civil commotion.
29. **Delayed delivery:** Maximum one month extension in delivery period may be given on the receipt of written request of the successful vendor; however liquidated damage at the rate of 5% per month or part thereof will be recovered from the firm of the value of undelivered goods. Request for extension in delivery period should be made before the last date of supply as mentioned in Purchase Order.
- Non delivery beyond extended period:** If the Tenderer fails to execute the order within the delivery period as mentioned above the order will be cancelled and EMD will be forfeited by the institute.

30. **Installation time:** The Company must install the equipment within a period of two months from the date of delivery of the equipment at NIT Raipur failing which order will be cancelled and EMD will be forfeited. However, necessary requirement for installation of goods/equipment will be provided by institute.

31. **Copy Right:** The copyright in all drawings, documents, and other materials containing data and information furnished to the Purchaser by the Supplier herein shall remain vested in the Supplier, or, if they are furnished to the Purchaser directly or through the Supplier by any third party, including suppliers of materials, the copyright in such materials shall remain vested in such third party.

32. Insurance:

- a. Should the purchaser elect to buy on CIF/CIP basis, the Goods supplied under the Contract shall be fully insured in Indian Rupees against any loss or damage incidental to manufacture or acquisition, transportation, storage and delivery.
- b. Where delivery of the goods is required by the purchaser on CIF or CIP basis the supplier shall arrange and pay for Cargo Insurance, naming the purchaser as beneficiary, initiate & pursue claims till settlement, on the event of any loss or damage.
- c. With a view to ensure that claims on insurance companies, if any, are lodged in time, the bidders and /or the Indian agent, if any, shall be responsible for follow up with their principals for ascertaining the dispatch details and informing the same to the Purchaser and he shall also liaise with the Purchaser to ascertain the arrival of the consignment after customs clearance so that immediately thereafter in his presence the consignment could be opened and the insurance claim be lodged, if required, without any loss of time. Any delay on the part of the bidder/Indian Agent would be viewed seriously and he shall be directly responsible for any loss sustained by the purchaser on the event of the delay.

33. **Right to use Defective Goods:** If after delivery, acceptance, installation and within the guarantee and warranty period, the operation or use of the goods proves to be unsatisfactory, the Purchaser shall have the right to continue to operate or use such goods until rectifications of defects, errors or omissions by repair or by partial or complete replacement is made without interfering with the Purchaser's operation.

34. **Site preparation and installation:** The Purchaser is solely responsible for the construction of the equipment sites in compliance with the technical and environmental specifications defined by the Supplier. The Purchase will designate the installation sites before the scheduled installation date to allow the Supplier to perform a site inspection to verify the appropriateness of the sites before the

installation of the Equipment, if required. The supplier shall inform the purchaser about the site preparation, if any, needed for installation, of the goods at the purchaser's site immediately after notification of Award / Purchase Order / Agreement.

37. Force Majeure:

- (i) Notwithstanding the Clauses relating to extension of time, penalty and Termination for Default the Supplier shall not be liable for forfeiture of its performance security, liquidated damages or termination for default, if and to the extent that, its delay in performance or other failure to perform its obligations under the Contract is the result of an event of Force Majeure.
- (ii) For purposes of this Clause, "Force Majeure" means an event or situation beyond the control of the Supplier that is not foreseeable, is unavoidable, and its origin is not due to negligence or lack of care on the part of the Supplier. Such events may include, but not be limited to, acts of the Purchaser in its sovereign capacity, wars or revolutions, fires, floods, epidemics, quarantine restrictions, and freight embargoes.
- (iii) If a Force Majeure situation arises, the Supplier shall promptly notify the Purchaser in writing of such conditions and the cause thereof within 21 days of its occurrence. Unless otherwise directed by the Purchaser in writing, the Supplier shall continue to perform its obligations under the Contract as far as is reasonably practical, and shall seek all reasonable alternative means for performance not prevented by the Force Majeure event.
- (iv) If the performance in whole or in part or any obligations under the contract is prevented or delayed by any reason of force majeure for a period exceeding 60 days, either party may at its option terminate the contract without any financial repercussions on either side.

38. Defective Equipment:

- (i) If any of the equipment supplied by the Tenderer is found to be substandard, refurbished, unmerchantable or not in accordance with the description /specification or otherwise faulty, the institute will have the right to reject the equipment or its part. The prices of such equipment shall be refunded by the Tenderer with 18% interest if such payments for such equipment have already been made to him.
- (ii) All damaged or unapproved goods shall be returned at suppliers cost and risk and the incidental expenses incurred thereon shall be recovered from the supplier. Defective part in equipment, if found before installation and/or during warranty period, shall be replaced within 45 days on receipt of the intimation from this office at the cost and risk of supplier including all other charges.

39. Any disputes arising out of this enquiry shall be dealt in the Raipur jurisdiction.

40. Bidder has to sign all the pages of this tender and enclose it with the bid.

Registrar
NIT-Raipur

List of Annexure

1. List of Equipments – Annexure 1
2. Technical Specification of equipments/goods – Annexure 2
3. Technical Compliance of the bidder with reference to the 'Specification of Equipments :Annexure 3
4. Price Schedule for goods being offered from India - Annexure 4
5. Price Schedule for goods being offered from Abroad. - Annexure 5
6. Deviation statement form - Annexure 6
7. Bidder information & check list – Annexure 7

Annexure 1**List Of Equipments To Be Procured Under Tender**

S. No	Name of Equipments	Quantity
1.	Nephelometric Turbidity Meter with Accessories	01
2.	Nitrogen gas cylinder -7m ³ ($\pm 1\text{m}^3$) capacity	01
3.	Flame photometer	01
4.	Laminar flow hood bench	01
5.	Autoclave - stainless steel cooker type	01
6.	Cod/toc reactor	01
7.	Water bath Shaker	01
8.	Magnetic Stirrer with Hot Plate – 4 No's	01
9.	Do meter	01
10.	BOD Oxytop	01
11.	Refrigerator	01
12.	Steam Bath	01
13.	Vacuum pump	01
14.	Air compressor	01
15.	Muffle Furnace with inert gas Facility	01
16.	Distillation water unit (double)	01
17.	Ion meter	01
18.	Time constant of thermocouple, thermometer & Calibration setup	01
19.	Interacting and Non-interacting system	01
20.	Ruthenium (accessory for AAS)	01
21.	Rotary vacuum evaporator	01
22.	Hot air oven	01
23.	Muffle furnace	01
24.	Ultrasonic bath cleaner	01
25.	Analytical balance	01

Annexure 2**Technical Specification of equipments/goods****1. Nephelometric Turbidity Meter with Accessories**

S. No	Range: (Approximately)	0 - 10,000 NTU
1	Principle of Operation:	Nephelometric
2	Ratio (Colour Correction):	Full Time ON or OFF
3	Accuracy:	± 2% of reading plus 0.01 NTU (0 to 1000 NTU) ± 5% of reading (1000 to 4000 NTU) ± 10% of reading (4000 to 10,000 NTU)
4	Resolution:	0.0001 NTU on Lowest Range
5	Response Time:	less than 6 seconds
6	Sample Size:	10-30 ml*
7	Light Source:	Quick connect Infrared
8	Operating Temperature:	0° - 50°C
* 3 Pairs of sample tubes must be provided		

2. NITROGEN GAS CYLINDER -7M³ (± 1M³) CAPACITY

Empty, new high pressure seamless steel gas cylinders flat type, concave bottom manufactured as per IS 7285 (part - II) 2004 along with neck ring, valve with valve guard as per IS 3224, painted as specified by gas cylinder rules 2004 & supported with manufacturers test certificate and approval from Chief Controller of Explosives, Nagpur.

Gas:	Nitrogen
Standard:	IS 7285 (part II) 2004
Gas Capacity:	7 m ³
Water capacity:	46.7 litres
Hydrostatic Test Pressure:	250 kgs/cm ²
Maximum working Pressure:	150 kgs/cm ²
Outer diameter:	232 mm
Min. wall thickness:	5.5 mm
Tare weight (approx):	54 kg
Length:	1370 mm

3. Flame Photometer

Limits of Detection:	Na*	2-5 ppm
	K*	1-2 ppm
	Li*	7-25 ppm
	Ca*	15-30 ppm
	Ba*	10-30 ppm
Reproducibility:	1% Coefficient of variation (C.V.) for 20 consecutive samples using 10ppm Na set to read 50. Readings taken at 20 second intervals. (or) Near range	
Linearity:	Better than 2% when concentration of 3 ppm Na and K and 5ppm Li are set to read 100. (or) Near range	
Specificity:	Interference from Na, K and Li when equal in concentration to the test element will be less than 0.5%. (or) Near range	
Stability:	Better than 2% over 5 minutes when continuously aspirating 10 ppm, sample set to read 50.0. Zero drift better than 2% per hour. (or) Near range	
Sample Requirements:	Between 2 and 6 ml/minute.	
Recorder Output:	Nominal 1.00 volt for readout of 100.0. (or) Near range	
Warm Up:	The flame must be alight for at least 15 minutes to ensure achievement of the above stated specifications.	

Services:	Electrical:	90-125V or 190-250V @ 50/60Hz.
	Air:	Moisture and oil-free. 6 litres/minute at 1kg/cm ² (14psi).
	Fuel:	L.P.G.
Operating Environment:	15°C to 50°C	

*Filters must be provided

4. Laminar Flow Hood Bench

S. No	Components	Description
1	Flow	Horizontal Air Flow type
2	Dimensions (Approx) (W x D x H) mm	Inner: 1790 x 550 x 650 Outer: 1950 x 800 x 1880
3	Air Volume (Approx)	2030 m ³ /h
4	Controller	9 stage velocity control, Total using timer, UV/FL lamp On/Off (equivalent)
5	HEPA Filter	Class 100, purity 0.3 µm Particle removal 99.99%
6	Prefilter (Approx)	3-30 µm Particle Removal
7	Air Flow Velocity (Approx)	0.3-0.6 m/sec
8	Noise level (Approx)	56-60 dBA
9	Light	UV 40 W x 1 EA, FL 40W x 1EA
10	Material (interior) (Exterior)	Stainless steel 304 Epoxy powder coated Electro Galvanized steel
11	Door	Tempered Safety Glass Sliding door
12	Utility Device	Air Cock, Gas Cock, 220V Consent
13	Electric Supply(Approx)	220V, 50Hz

5. Autoclave - Stainless Steel Cooker Type

S. No	Specifications:
1	Size (approximately): 300mm x 375 mm (12" x 15")
2	Made of Heavy Duty Stainless Steel
3	Double Safety Valve or suitable valve
4	Fitted with 2.5" Special Gauge or suitable Gauge
5	Steam Release Valve
6	Water Outlet Assembly
7	Working Pressure 15 lb or suitable Gauge
8	Electric Load 2 KW or near
9	Optional: Electrical/ Non Electrical

6. COD/TOC Reactor

S. No	Technical Specifications
1	Ready-installed standard digestion programs: 5
2	No of samples for simultaneous digestion: 12-16
3	Temp selection: 100°C, - 200°C & Concentration range: 25 – 500 mg/l
4	Stability and accuracy: ± 1°C
5	Display: LCD for temperature and time, desired and actual values for
6	Heating time and temperature continually shown

7	Cut off: automatic
8	Power: 230 V~, 50 Hz / 60 Hz convertible (or) near
9	Warranty: 1 year from installation
10	Reagents: Reagents for COD analysis and Digestion vials must be provided

7. Water bath Shaker

1	Dimension	Bath	570×370×240 ± 100 mm
2	(W × D × H mm)	Overall	804×424×300 ± 100 mm
3	Bath capacity		30-40 lit ± 5 lit
4	Heater	1.4 -1.5 KW	
5	Temperature	Range	Ambient +5°C to 99°C
		Accuracy	± 0.1°C
		Uniformity	± 0.5°C
6	Controller		Digital PID controller
7	Shaking	Speed	20 to 250 Stroke/ min
		Stroke	Adjustable 15 to 30 mm
8	Display		LED 4 digit Display
9	Timer		99hr 59 min/continuous
10	Material	Bath	Stainless steel
		Case	Powder coated steel
		Rack	Stainless steel spring Rack
11	Safety	Over temperature, Cut-off, Over Current & Leakage Breaker	
12	Electric Supply	110V, 60Hz, 220V, 50/60Hz	
Note:			
1 Quiet Shaking Mechanism			
2 Universal Rack Shake Flask from 50 ml up to 2 l			
PID Temperature Control up to 100°C			
Shakes from 20 to 250 rpm & Digital Speed Control			
Stainless Steel Bath			

8. Magnetic Stirrer with Hot Plate – 4 No's

Parameters	Details
Plate Size	18 x 18 ± 3 CM
Electronic speed control	100-1500 rpm ± 500 rpm at max side
Temperature range	80-380°C ± 30°C

9. DO Meter

Parameters	Range (approx)	Resolution (approx)	Accuracy (approx)
Concentration (mg/l)	0.0 to 20.0 (or) 0.0 - 100 mg/l	0.01 mg/l	± 1.5%
% Saturation	0.0 to 200%	0.1%	± 1.5%
Temp	-5.0 to 105°C	0.1°C	± 0.5°F
Salinity Correction	0.0 to 50 ppt	0.1 ppt	Manually or Automatic correction
Barometric pressure correction	500 to 1499 mm Hg	1 mm Hg	Manually or Automatic correction
Temperature compensation	Automatic from 0 to 50°C		
Operating temperature	0 to 50°C		
Note: (1) Values: Digital display, (2) Low maintenance probe & (3) Offset adjustment capacities			

10. BOD Oxytop / Analyser/ Meter

Measuring Principle	Manometric with pressure sensor / Respirometric (or) similar
Parameter	BODn
Measuring Range (approx)	0 – 2000 ± 1000 mg/l (directly without any dilution)

Display Range (approx)	0 – 50 digits
Display Accuracy	± 1 digit
Maximum sample load (approx)	Max 6 samples simultaneously (infinite times)
Power	2 x CR 2430 Batteries, appr. life 2 years (per head)
Warranty	1 year from installation

11. Refrigerator

Specifications
Double door refrigerator
255 -300 Litres Frost Free Refrigerator with New Smart Inverter Compressor
Smart Diagnosis System

12. Steam Bath (Water)

Specifications: - Water bath rectangular is suitable for evaporating liquids or for melting solids. Connecting rings can be removed to accommodate containers of various sizes. - Double walled chamber made of stainless steel and outer wall made of thick mild steel finished with powder coating or stainless steel. - The double walled chamber is filled with high grade insulation to prevent heat loss. - This is provided with ISI mark heating device, controlled by capillary type thermostat from ambient to 110°C, within = -1°C, & Two indicator lights & one on/off rotary switch.				
Size (approx)	Holes	Temp. Controller	Outer chamber	Capacity (approx.)
400 x 300 x 100 mm	12	Digital	Stainless steel	15 lit

13. Vacuum Pump

Specifications - Portable (Mini) & light weight die-cast aluminium components with minimum weight - Balanced eccentrics provide smooth & low vibrational operations. - Useful for general laboratory applications where even a slightest environmental/sample contamination through oil mist. - Diaphragm type, 100% oil free, max flow rate 25 L.P.M /45 L.P.M (approx) - With vacuum gauge & regulator - Electric supply work on 220/230 Volts 50/60 Hz AC - Warranty: 1 year
* Operating manual should be provided

14. Air Compressor

- Portable (Mini), light weight, thermally protected & low noise for laboratory use - Auto stop & Pressure-adjustable.
Specifications: - Type: Single Cylinder Piston Compressor - Power: 1/5 HP, Voltage: 220-240V / 50Hz & 110-120V, 220V / 60Hz (approx) - Air output per min/litres: 23 L/min ± 10 L/min (approx) - Auto stop, start at 30 psi, stop at 60 psi (approx) - Fitting: Manometer; Pressure regulator from 5 psi (approx) & Air filter - Net Weight: 3.6KG (approx) - Dimension: 245 x 135 x 170 mm (approx) - Electric Cable: 2-3 M, Suitable airbrush: 0.2-1.0 Nozzle - Outlet pipe: 5.0 – 6.0 M (approx) - Warranty: 01 year from the installation
* Operating manual should be provided

15. Muffle Furnace with inert gas Facility

Inert gas facility	Flowing Nitrogen, Argon and other Inert gas/CO ₂
Working chamber size	300×200×200mm (D×W×H) (or) near
Maximum temperature	1800 °C ± 100°C
Working temperature	Upto 300 - 1600°C ± 100°C
Heating rate	0 – 20°C /min ± 5°C
Heating element	Silicon molybdenum rods (MoSi ₂) (or) any suitable
Accuracy of temperature control	± 2°C
Refractory material	1800 type alumina ceramic fiber (or) any suitable
Inert gas pressure gauge	Outside fitted with gas inlet port (or) suitable device for inert gas supply
Working volts	380V or 220V (or) suitable
Thermocouple	B type (or) any suitable
Temperature control program	30 programs
Temperature accuracy	±1°C
Temperature control way	Automatic PID adjusting
Door type	Side open
Standard Accessories	High temperature gloves, Crucible tongs, Heat pad brick
Optional Accessories	Crucible, vacuum pump, relief valve, flow meter, data export instrument, luxurious to
Usage	Used for sintering, decarburization and protect carbons & ceramics like components from oxidation with flowing nitrogen, argon and other inert gas.
Warranty	1 year from installation & Operating manual must be provided

16. Distillation water unit (double)

Specifications (Double Distillation)	
Easy Still	DDQ
put	2.0 lit/hr
Distilled water quality:	
Conductivity	0.8 - 1.00µS/cm
pH	6.0 - 7.0
Distillate quality	Pyrogen free
Electrical Power	220/240V, 50/60 Hz Single phase 2 x 1500W Silica Heater
Cooling water req.	2-4 lit/min
Minimum Pressure	3 p.s.i.
Dimensions lxbxh	2x(250x180x450)mm

17. Ion Meter

Specifications: (Bench type)	
pH Range	-2.00 to 16.00 pH + °C,
pH Accuracy	0.002 pH
Ion Concentration Range	0 to 5000 mg/l ± 1000 mg/l or near
Temperature Range &	0.0 to 100.0°C, & ± 0.3°C (or) near

Accuracy	
pH Calibration Points	2 – 5 points
Ion Calibration Points	2 to 5 points
Temperature Compensation	0 to 100°C, Manual or Automatic
Built-in Ion mode	Na, Ag, K, NH ₄ ⁺ , CL, F, Ca, No ₃ ⁻ , Pb, I, Cu, Br & CN etc
Memory & Output	99 data sets with date/time stamping, USB or any suitable
Power supply	DC 9V, using AC adapters, 220VAC, 50Hz or any suitable
Dimensions LxWxH (mm)	210 X 188 X 60 or near
Warranty	1 year & manual must be provided
Note: Ion concentration mode directly displays readings in ppm, ppt, or any other units of your choice.	

18. Time constant of thermocouple, thermometer & Calibration setup (Temperature Measurement)

Heat Source	Provided with Ceramic insulation.
Heater	Nichrome Wire Heater.
Temp. Controller	Digital Temperature controller, 0 to 200°C
ICE Pot	Compatible capacity.
Thermometer	Glass Thermometer, Range 0-100°C.
Thermocouple	Fe-Constantan type
Power supply	220-230 V AC, Single Phase, 0.5 kW

19. Interacting and Non-interacting system

Process Tank	Material SS, Circular, with level scale (3 Nos.)
Capacity	2.5 to 3.5 litres.
Supply Tank	Material Stainless steel, Capacity 20 litres.
Overhead tank	Material Stainless steel, Capacity 5 litres.
Water Circulation	FHP Pump, Tullu/Standard make.
Piping	SS/PVC, size ¼"
Flow Measurement	Rotameter
Power supply	220-230 V AC, Single Phase, 0.5 kW

20. Hollow Cathode Lamp – Ruthenium (accessory for AAS)**21. Rotary Vacuum Evaporator**

Bath Temp Range: ambient +5 Deg.C upto 180 Deg.C
 Capacity upto 3 L pear shaped evaporating flask
 Digital RPM control with AC motor
 Speed: 30 to 270rpm
 PID Temperature controller
 Motorised Lift with by pass
 Water cum Oil Bath with clear bottom
 Heating Bath Material: SS 304
 Supplied with 1L pear shaped evaporating & round bottom flask,
 Diagonal Model

22. Hot air oven

Technical Specifications
 D x W x H: 60 x 60 x 60 cm (approx)
 Power rating Watt: Min. 2.5 KW
 Min. No. of shelves: 3
 Material: SS
 Digital temperature indicator cum controller

Air circulation fan with motor
Digital timer with temperature controller for 999 minutes
Power supply: 220V / 50Hz

23. Muffle Furnace

Digital temperature Controller cum Indicator and automatic for on and off/time set
Max. Temperature Range: 1500°C and more
Rated Power Wattage: 3KW or above
Inner Dimension: 30 x 15 x 15 cm or more
Power supply: 220V / 50Hz

24. Ultrasonic Bath Cleaner

Tank capacity: 9 liters
Power rating: 200 W
Heating: Ambient to 80°C
Material: Stainless steel
Power supply: 220V / 50Hz

25. Analytical Balance

Readability: 0.1mg
Weighing capacity: 220g
Repeatability: $\leq \pm 0.07\text{mg}$
Linearity: $\leq \pm 0.2\text{mg}$
Typical stabilization time : < 1s
Typical measurement time < 3s
Weighing pan size (W x D): 85 mm x 85 mm
Optimal starting point of the operating range: 82 mg
Sensitivity drift between + 10 to + 30°C: $\pm 1\text{ ppm/K}$
Weighing chamber height: 261 mm

Annexure 3**Technical Compliance of the bidder with reference to the
'Specification of Equipments'****Name and model no of offered goods/equipment:**

Item	Technical specificati on from NIT Raipur	Features available in equipments Yes or No	Any deviation from Specificat ion, if any	Corresponding part number /datasheet/page no in broacher in support of specification	Comment of Technical Committee , NIT Raipur

Signature of Bidder

Annexure-4

Price Schedule form: Price Schedule for Goods Being Offered from India/Abroad in INR
(Separate form to be used for each item offered)

Name of the Bidder/Tenderer:

Name & Model No of offered good:

Tender No.:

S. No.	Details	Price per Unit in INR
1	Ex-works, Ex-warehouse, Ex-show room off the shelf price (inclusive of all taxes already paid)	
2	VAT & other taxes like excise duty* payable, if contract is awarded	
3	Packing & forwarding up to station of dispatch, if any	
4	Charges for inland transportation, insurance to ultimate destination i.e. NIT, Raipur, if any	
5	Installation, Commissioning and training Charges, If any	
6.	Any other charges (Please specify)	
Total Price (Sum of S. No 1 to 5) FOR NIT RAIPUR		

**** NIT Raipur have custom/exsices exemption certificate.**

Total Bid price in Indian currency_____

In words: _____

Name_____

Business Address

Note:

(a) The cost of optional items shall be indicated separately.

Signature of Bidder

Annexure-5

**Price Schedule Form: Price schedule for goods being offered from abroad in
currency other than INR**

(Separate form to be used for each item offered)

Name of the Bidder/Tenderer:

Name & Model No of offered good:

Tender No.:

S. No.		Price per unit in ()
1	Country of origin	
2	FOB (named port of shipment) Or FCA (named place of delivery)	
3	Freight and Insurance up to Indian Airport/port	
4	Total Price at Indian Airport /port (2+3)	
5	**Custom charges (please mentioned %)	
6	Custom clearance and other charges if any (with breakup)	
7	Inland Charges for Insurance & transportation to NIT Raipur	
8	Installation, commissioning and training Charges, if any	
9	If any other charges (Please Specify)	
	Total Price (FOR NIT Raipur) (Sum of S. No 1 to 9)	

**** NIT Raipur have custom/exsices exemption certificate.**

Total Bid price in foreign currency: -----words: _____

(a) Indian agents name & address _____

(b) The cost of optional items shall be indicated separately-----

Signature of Bidder

Annexure-6**DEVIATION STATEMENT FORM**

The following are the particulars of deviations from the requirements of the tender specifications:

CLAUSE	DEVIATION	REMARKS (INCLUDING JUSTIFICATION)

Signature of Bidder

Annexure-7 (Please put this annexure at the top of the tender document)

Bidder's information & Check list

- 1. Name of the Firm:**
- 2. Type of the firm:** (Proprietorship, Pvt Ltd, Public Ltd, Partnership etc.)
- 3. Address of the firm:**
- 4. Contact detail:** **Phone No.:** **Mob No. :**
 Fax No. **E mail:**
- 5. Name of the authorised signatory:**
- 6. EMD detail : Instrument No.** **Date :** **Amount:**
Issuing Bank name & branch detail:

Check List (Please enclose the copy of the following & tick as per applicability)

- 1. Proof of registration of the firm:**
- 2. Authorisation certificate of dealership:**
- 3. PAN card in Firm's name:**
- 4. Sales tax certificate:**
- 5. Commercial tax certificate:**
- 6. Service tax certificate:**
- 7. Proof of registration with any central govt . organisation :**
- 8. Purchase orders issued by any central govt organisation.**

Signature of Bidder