National Institute of Technology, Raipur

Department of Physics

Charges for Testing and Consultancy

| S. No. | Service Description (Operational features) | Testing charges for students (UG,PG & Ph.D.), faculty and staff of NIT Raipur | Testing charges for students (UG, PG & Ph.D.), faculty, project fellows and staff of other academic Institution / Funded Projects of NITRR | Testing charges for Industries/R&D Laboratories | | | |
|---------------------|---|--|---|--|--|--|--|
| | High ' | Temperature Fu | ırnace | | | | |
| 1 | Powder Sample (Max 4 samples) | 100/- per slot | 500/- per slot | 1000/- per slot | | | |
| 2 | Pellet sample (Max 4 samples) | 100/- per slot | 500/- per slot | 1000/- per slot | | | |
| 3 | Other Sample (Max 4 samples) | 100/- per slot | 500/- per slot | 1000/- per slot | | | |
| Density Measurement | | | | | | | |
| 1 | Solid Sample (Max 4 sample) | 100/- per sample | 500/- per sample | 1000/- per sample | | | |
| 2 | Other Sample (Max 4 sample) | 100/- per sample | 500/- per sample | 1000/- per sample | | | |
| | FTIR Spectrometer | | | | | | |
| 1 | KBr Pellet preparation | 100/- per sample | 200/- per sample | 200/- per sample | | | |
| 2 | Powder Sample With KBr (Maximum No of samples: 5) | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| 3 | Liquid Sample With KBr (Maximum No of samples: 5) | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| 4 | Thin Film, Polymer, Film Coating (Maximum No of samples: 5) | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| | • | IS Spectrophoto | meter | | | | |
| 1 | Glass Film (Max 5 films) | 100/- per sample | 500/- per sample | 1000/- per sample | | | |
| 2 | Liquid sample (Max.5 samples) | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| 3 | Film Coating, Polymer (Max. 5 samples) | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| | Spec | troflurophoton | neter | | | | |
| 1 | Liquid, Powder, Glass film, Polymer (Max. 4 samples) | 100/- per sample | 500/- per sample | 1000/- per sample | | | |
| 2 | Other (Max. 4 samples) | 200/- per sample | 1000/- per sample | 2000/- per sample | | | |
| Raman Spectrometer | | | | | | | |
| 1 | Phosphor material (Max. 5 samples) (Powder, Film, Solid, Other) | 100/- per sample | 500/- per sample | 1000/- per sample | | | |
| 2 | Inorganic Compound (Max 4 samples) (Powder, Film, Solid, Other) | 200/- per sample | 500/- per sample | 1000/- per sample | | | |

| TLD Reader/OSL Reader | | | | | | | | | |
|-------------------------------------|--|---------------------|------------------------|-------------------|--|--|--|--|--|
| 1 | Powder Sample (Max 5 samples, only one Temperature Profile per sample) | 100/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| 2 | Pellet sample (10mm, 13mm) (Max 5 samples, only one Temperature Profile per sample) | 100/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| | Chroma Meter | | | | | | | | |
| 1 | Real time Light Intensity (Max. 5 samples) | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| 2 | Colour Surface (Max. 5 samples) | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| AAA Solar Simulator | | | | | | | | | |
| 1 | I-V Characteristics of a Solar Cell (Max. 4 samples) | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| LCR Meter | | | | | | | | | |
| 1 | Pellet Sample (diameter 10mm, Max 2) (Max. 5 samples) | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| | Film Deposition Thro | ugh Chemical B | Bath Deposition | (CBD) | | | | | |
| 1 | Glass Film Coating (max 6 samples) | 200/- per slot | 500/- per slot | 1000/- per slot | | | | | |
| | | Digital Oven | | | | | | | |
| 1 | Powder Sample (Max. 4 samples) | 50/- per slot | 250/- per slot | 500/- per slot | | | | | |
| 2 | Pellet sample (Max. 4 samples) | 50/- per slot | 250/- per slot | 500/- per slot | | | | | |
| 3 | Other Samples (Max. 4 samples) | 50/- per slot | 250/- per slot | 500/- per slot | | | | | |
| | | kness Measurei | | | | | | | |
| 1 | Thickness of Plastic sheet | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| | | on of length and | | | | | | | |
| 1 | Verification of length & breadth of Plastic bags | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| Measurement of Strength of sealing | | | | | | | | | |
| 1 | Measurement of Strength of sealing of Plastic bags | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |
| Coefficient of Thermal Conductivity | | | | | | | | | |
| 1 | Coefficient of Thermal Conductivity (K value) of a specimen | 200/- per sample | 500/- per sample | 1000/- per sample | | | | | |

| Density Measurement | | | | | | | |
|---------------------|--|------------------|------------------|-------------------|--|--|--|
| 1 | Density Measurement of a | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| | specimen (Max. 5 samples) | | | | | | |
| | Transmission Measurement | | | | | | |
| 1 | Measurement of transmission coefficient of FRP sheet (Max. | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| | 5 samples) | | | | | | |
| | Tolerance Test | | | | | | |
| 1 | Measurement of Tolerance of | 200/- per sample | 500/- per sample | 1000/- per sample | | | |
| | plastic bags (Max. 5 samples) | | | | | | |

Note: (i) All the above charges are exclusive of GST@18%.

- (ii) Samples for testing should be submitted to HOD Physics, NIT Raipur.
- (iii) Testing charges can be paid in the following two ways.
 - **(a)** A demand draft (DD) in favour of **"Director NIT Raipur"** that should be submitted to the Head, Department of Physics, NIT Raipur, Raipur 492010 (C.G).
 - **(b)** Payment can be made online also. The details are as follows. The applicant will be required to produce the receipt of online payment.

Account Name: Director NIT Raipur

Account Number: 38027633250

Bank Name: State Bank of India

Bank Branch: NIT Branch

Bank Address: G.E. Road, Raipur - 492010

Type of Account: Savings Account

IFSC Code: SBIN0002852

Swift Code: SBININBB646

MICR Code of Bank: 492002004